


锥角销·标准型


代码	类型	材质		硬度
		国标	相当	
PJE01	标准型 多棱型	T8Mn(A)	SK95	淬火硬度58~60HRC



型号		D _{h6}	L	L ₁	L ₂	M	h	W
PJE01	6	20	9					1.8
	8	25	11	3		M3	6	2.2
	10	30	13					3
	12	34	14					3.5
	14	38	15	4				4
	16	42	16					5
	18	46	17			M5	10	5.5
	20	47						6
	22	49		5				7
	25							8

锥角销·台阶型


代码	类型	材质		硬度
		国标	相当	
PJE51	台阶型 多棱型	T8Mn(A)	SK95	淬火硬度58~60HRC



型号		D _{h6}	D _{1(p6)}	L	L ₁	L ₂	M	h	W
PJE51	8	5	19	9				4.5	2.2
	10	7	22	11	3		M3	4.5	3
	12	8	25	12					3.5
	14	10	28	13	4				4
	16	12	32	14					5
	18	13	35	15			M5	8	5.5
	20	14	37	15					6
	22	16	39		5				7
	25	18	42	17					8

小头锥角销·台阶型·圆型


代码	类型	材质		硬度
		国标	相当	
PJG01	台阶型 圆型	T8Mn(A)	SK95	淬火硬度58~60HRC



型号		D _{h6}	D _{1(p6)}	L	L ₁	L ₂	M	h
PJG01	6	10	20	11		2		
	8	12	25	14	3		M3	4.5
	10	14	30	17				
	12	16	34	20				
	14	18	38	23	4			
	16	20	42	26				
	18	22	46	29			M5	8
	20	25	47					
	22	28	49	30				
	25	30						

小头锥角销·台阶型·多棱型

代码	类型	材质		硬度
		国标	相当	
PJG21	台阶型 多棱型	T8Mn(A)	SK95	淬火硬度58~60HRC



型号		D _{h6}	D _{1(p6)}	L	L ₁	L ₂	M	h	W
PJG21	6	10	20	11		2			1.8
	8	12	25	14	3		M3	4.5	2.2
	10	14	30	17					3
	12	16	34	20					3.5
	14	18	38	23	4				4
	16	20	42	26					5
	18	22	46	29			M5	8	5.5
	20	25	47						6
	22	28	49	30					7
	25	30							8



型号		D ₁	L
代码	D		
PJG01	22	28	49
	25	30	

PJG01—D25



● 优惠价
数量 1~29 30~
价格 100% 另行报价



交货期
5