

欧标40槽宽8.2系列型材用配件-附件部分

◀ 装饰类


铝合金端盖

代码	类型	材质	表面处理
ARC01-408	铝合金端盖	A6063-T5	喷砂氧化
ARC03-408			黑色阳极氧化


① 用于型材截面处，防尘，美观大方，连接牢固。




ARC01-408-4040
ARC03-408-4040




ARC01-408-4080
ARC03-408-4080




ARC01-408-40120
ARC03-408-40120




ARC01-408-4040R
ARC03-408-4040R
(只适合怡合达型材)




ARC01-408-40160
ARC03-408-40160




ARC01-408-8080
ARC03-408-8080




ARC01-408-8840
ARC03-408-8840





ARC01-408-8840R
ARC03-408-8840R



ARC01-408-80120
ARC03-408-80120




ARC01-408-80160
ARC03-408-80160




视角标准：第一视角

槽宽
8.2系列
欧标
40


ARC01-408-120120
ARC03-408-120120



ARC01-408-160160
ARC03-408-160160



ARC01-408-40200
ARC03-408-40200




视角标准：第一视角

EX


Example
使用示例

分解图

组装图




ARC01-408-80200
ARC03-408-80200



分解图

组装图



槽宽
82系列
欧标
40

型号 代码	重量 (g/pcs)	适用型材		备注
ARC01-408-4040	18.6	AOB03	AOB05	铝合金端盖配合 AIF31-M8-L16使用 (型材螺纹孔口倒角C1.0)
ARC01-408-4040R	17.4	4040E	4040 4040C 4040E 4040F 4040J 4040A 4040B 4040HC	
ARC01-408-4080	35.8	4040RE	4040R 4040RE	
ARC01-408-40120	61.1	4080E	4080 4080C 4080E 4080F 4080J 4080A 4080B	
ARC01-408-40160	82.8	—	40120E	
ARC01-408-40200	104.5	—	40160E	
ARC01-408-8080	79.4	—	40200E	
ARC01-408-8840	58.7	8080E	8080 8080E 8080J 8080A 8080F	
ARC01-408-8840R	56.5	—	8840	
ARC01-408-80120	122.9	—	8840R 8840RE 8840RF	
ARC01-408-80160	166.3	—	80120E	
ARC01-408-80200	209.9	—	80160E	
ARC01-408-120120	188.2	—	80200E	
ARC01-408-160160	340.8	—	120120E	
			160160E	



请按图示订货

型号

ARC01-408-4040
ARC01-408-4040R


铝合金端盖

代码	类型	材质	表面处理
ARC01-408	铝合金端盖	A6063-T5	喷砂氧化
ARC01-4010			
ARC03-408			黑色阳极氧化
ARC03-4010			


用于型材截面处，起防尘，美观，连接牢固。




ARC01-408-4040
ARC03-408-4040




ARC01-408-4080
ARC03-408-4080




ARC01-408-4040R
ARC03-408-4040R
(只适合怡合达型材)




ARC01-408-40120
ARC03-408-40120




ARC01-4010-4060
ARC03-4010-4060





ARC01-408-40160
ARC03-408-40160



ARC01-408-8080
ARC03-408-8080



ARC01-408-8840R
ARC03-408-8840R




视角标准：第一视角


欧标40槽宽10.2系列型材用配件-附件部分

◀ 装饰类


ARC01-408-80120
ARC03-408-80120



ARC01-408-80160
ARC03-408-80160



ARC01-408-120120
ARC03-408-120120



EX



Example
使用示例

分解图

组装图

分解图

组装图



槽宽
40
10.2
系列

型号 代码	重量 (g/pcs)	适用型材 AOB02	备注
ARC01-408-4040	19.7	H4040, H4040A, H4040B, H4040C, H4040E, H4040F	铝合金端盖 配合螺钉 AIF31-M8-L16 与相应螺纹套使用 (型材螺孔口倒角C1.0)
ARC01-408-4040R	17.4	H4040R	
ARC01-4010-4060	30.5	H4060	
ARC01-408-4080	39.5	H4080, H4080C	
ARC01-408-40120	61	H40120C	
ARC01-408-40160	82.8	H40160C	
ARC01-408-8080	79.4	H8080	
ARC01-408-8840R	56.5	H8840R	
ARC01-408-80120	122.9	H80120	
ARC01-408-80160	166.7	H80160	
ARC01-408-120120	188.2	H120120	



请按图示订货

型号
ARC01-408-80120
ARC01-408-80160

国标40槽宽8.3系列型材用配件-附件部分

装饰类


铝合金端盖

代码	类型	材质	表面处理
ARC01-408	铝合金端盖	A6063-T5	喷砂氧化
ARC03-408			黑色阳极氧化


① 用于型材截面处，防尘美观、连接牢固。




ARC01-408-4040
ARC03-408-4040




ARC01-408-4040R
ARC03-408-4040R
(只适合怡合达型材)




ARC01-408-4080
ARC03-408-4080




ARC01-408-8840
ARC03-408-8840



ARC01-408-8840R
ARC03-408-8840R



ARC01-408-8080
ARC03-408-8080





EX

Example
使用示例



分解图

组装图



分解图

组装图



视角标准：第一视角

型号 代码	重量 (g/pcs)	适用型材 AGB06	备注
ARC01-408-4040	19.6	4040、4040A、4040YC、4040YA 4040Y、4040YD、4040YB、4040HC	铝合金端盖配合螺栓 AIF31-M8-L16使用 (型材螺纹孔口倒角C1.0)
ARC01-408-4040R	17.4	4040R	
ARC01-408-4080	39.5	4080、4080A、4080Y、4080YA、4080YC	
ARC01-408-8840	58.7	8840Y	
ARC01-408-8840R	56.5	8840R	
ARC01-408-8080	79.4	8080、8080Y	



请按图示订货

型号

ARC01-408-4040
ARC01-408-4040R
ARC01-408-4080