


代码	类型	材质	防水防尘等级	使用温度范围
ZKN01	螺栓型	塑料	IP66	-40℃~+80℃

- 特点:
- 有极好的绝缘性能, 抗化学腐蚀和抗机械挤压的性能;
 - 达到高要求的IP66防护等级, 所有的箱体都防尘、防水、抗80℃高温;
 - 采用ABS材料制成, 外形美观、性能坚固;
 - 产品适用于小型终端机、按钮盒、信号机、继电器、计量器、通信用接线盒等设备。



允许误差±1mm

视角标准: 第一视角

型号		内板	外形尺寸								箱体材质	上盖颜色																						
代码	规格		W(宽度)	H(长度)	D(高度)	W ₁	H ₁	D ₁	D ₂	E			F																					
ZKN01	0506AG	N(无内板)	50	65	55	37	52	20		40	55	ABS	灰色																					
	0506AT			70	43	47	52	8	35	45	60		透明																					
	0507AG												灰色																					
	0507AT	B(金属内板)	55	91									74	80	透明																			
	0509AG														灰色																			
	0509AT														透明																			
	0609AG	N(无内板)	65	95	55	50	79						15	40	—	—	灰色																	
	0609AT							透明																										
	0709AG							N(无内板)	75	91	43						67	73	8	35	60	114	灰色											
	0709AT	105	60	57	86	20	40			65	80		透明																					
	0710AG												灰色																					
	0710AT	B(金属内板)	70	125	48	61	117	8	40	60	114		透明																					
	071204AG												灰色																					
	071204AT												透明																					
	0712AG	75	125	74	57	107	25	49	60	110	灰色																							
	0712AT										透明																							
	071209AG										99		50	65	65	65	65	65	65	灰色														
	071209AT	透明																																
	0808AG	80	60	62	15	45	65	65	65	65										灰色														
	0808AT										85		70	65	65	65	65	65	65	透明														
	080808AG																			45	20	25	67	91	91	91	91	灰色						
	080808AT	60	35	80	80	80	80	80	80	透明																								
	081104AG									N(无内板)	80		110	85	100	20	80	80	80									80	灰色					
	081104AT																			62	92	35	20	50	67	91	91		91	91	透明			
	081106AG	B(金属内板)	100	115	35	80	80	80	80																						80	80	灰色	
	081106AT									70	20		50	67	91	91	91	91	91									91					透明	
	0811AG																			130	85	112	20	50	67	91	91		91	91			91	灰色
	0811AT	85	100	20	50	67	91	91	91																						91	91		91
	081108AG									N(无内板)	80		110	85	100	20	80	80	80									80						
	081108AT																			B(金属内板)	100	115	35	80	80	80	80		80	80			80	
	081110AG	70	20	50	67	91	91	91	91																						91	91		91
	081110AT									130	85		112	20	50	67	91	91	91									91						
	081111AG																			85	100	20	50	67	91	91	91		91	91			91	
	081111AT	N(无内板)	80	110	85	100	20	80	80																						80	80		80
0813AG	B(金属内板)									100	115	35	80	80	80	80	80	80	80									80						
0813AT																				70	20	50	67	91	91	91	91		91	91			91	
081308AG		130	85	112	20	50	67	91	91																						91	91		91
081308AT	85									100	20	50	67	91	91	91	91	91	91									91						
081605AG																				N(无内板)	80	110	85	100	20	80	80		80	80			80	
081605AT		B(金属内板)	100	115	35	80	80	80	80																						80	80		80
0816AG	70									20	50	67	91	91	91	91	91	91	91									91						
0816AT																				130	85	112	20	50	67	91	91		91	91			91	
0818AG		N(无内板)	80	180	70	62	162	20	50																						70	170		170
0818AT	B(金属内板)									100	115	35	80	80	80	80	80	80	80									80						

接线盒

◀ 螺栓型

型号		内板	外形尺寸								箱体材质	上盖颜色									
代码	规格		W(宽度)	H(长度)	D(高度)	W ₁	H ₁	D ₁	D ₂	E			F								
ZKN01	081808AG	N(无内板) A(塑料内板) B(金属内板)	80	180	85	62	162	35	50	70	170		灰色								
	081808AT												透明								
	0822AG			220	70		202	20			209		灰色								
	0822AT												透明								
	0825AG				70			20		67			灰色								
	0825AT												透明								
	082508AG												灰色								
	082508AT			250	85		232	35			237		透明								
	082510AG							50					灰色								
	082510AT												透明								
	0910AG	N(无内板) B(金属内板)	91	110	43	73.5	102	8	35	80	100		灰色								
	0910AT												透明								
	0912AG		90	125	48		117		40				灰色								
	0912AT												透明								
	0913AG		94	130	70	74	115	20	50	86	116		灰色								
	0913AT								87	透明											
	091310AG				100				80	80			灰色								
	091310AT												透明								
	1010AG	N(无内板)	101	100	75	82	82	20	55	80	80		灰色								
	1010AT	A(塑料内板)											透明								
	101010AG	B(金属内板)			100				80				灰色								
	101010AT												透明								
	1018AG	N(无内板) B(金属内板)	100	180		76	155	15		82	162		灰色								
	1018AT												透明								
	1022AG			222	75	77	198		60	80	205		灰色								
	1022AT												透明								
	1118AG	N(无内板) A(塑料内板) B(金属内板)	113	183	90	95	165	20	70	98	108		灰色								
	1118AT												透明								
	111810AG				105			35			168		灰色								
	111810AT												透明								
	1216AG	N(无内板)	120	160	90	104	144	20		106	146		灰色								
	1216AT	B(金属内板)											透明								
	1212AG				75								55		灰色						
	1212AT												透明								
	121210AG	125	125	100	105	105	20	80		112			灰色								
	121210AT												透明								
	1217AG			75			25				灰色										
	1217AT										透明										
	121710AG						100	50		112		162	ABS	灰色							
	121710AT													透明							
	121711AG	128	175	110	109	157	25	灰色													
	121711AT							透明													
	121713AG			135			50	85			灰色										
	121713AT										透明										
	1220AG		120	200	75	102	182	20	55	95	175		灰色								
	1220AT												透明								
	1222AG			220	87				67				灰色								
	1222AT												透明								
	1417AG		140	170	95	122	152		75	127	154		灰色								
	1417AT												透明								
1423AG	230						212			125	215		灰色								
1423AT													透明								
1520AG	N(无内板)			75			20	55				灰色									
1520AT												透明									
152010AG				100				80		136	185	灰色									
152010AT												透明									
152013AG	A(塑料内板)		200	130		182		110				灰色									
152013AT												透明									
152016AG	B(金属内板)			160			50	135	235			灰色									
152016AT												透明									
1525AG	250		100	20			80					灰色									
1525AT												透明									
152513AG			130			232						110				灰色					
152513AT																透明					
152516AG			160				50									灰色					
152516AT																透明					
1717AG				75			25	50				灰色									
1717AT												透明									
171710AG				100			50			159	159	灰色									
171710AT												透明									
171713AG		175		135			25	110				灰色									
171713AT												透明									
171716AG				160			50					灰色									
171716AT												透明									
1725AG				75			25		155	230		灰色									
1725AT												透明									
172510AG			250	100		232	50	50				灰色									
172510AT												透明									

箱体

接线盒

螺栓型

型号		内板	外形尺寸									箱体材质	上盖颜色							
代码	规格		W(宽度)	H(长度)	D(高度)	W ₁	H ₁	D ₁	D ₂	E	F									
ZKN01	182510AG	N(无内板)	180	255	100	162	236	15	85	165	240		灰色							
	182510AT	B(金属内板)										透明								
	192813AG	N(无内板)	190	280	130	165	255	32	98	160	260		灰色							
	192818AG				180				148											
	193810AG			100	69		340													
	193813AG			130	98															
	193818AG			180	148															
	202009AG			95	20															
	202009AT	N(无内板)	200	125	182	182	75	185	185		灰色									
	202012AG									50		透明								
	202012AT			130	20	110			ABS	灰色										
	202013AG										透明									
	202013AT			160	50					透明										
	202016AG										透明									
	202016AT			B(金属内板)	250	100	178	228	25	75	228		灰色							
	202510AG												透明							
	202510AT											300	105	180	280	20	85	275		灰色
	2030AG																			透明
	2030AT		280									130	255	32	98	245	245	305		灰色
	282813AG																			
	283413AG			340	130	315	81	98	345											
	283418AG																			
	283813AG			380	180	355	32	148	435											
	283818AG																			
	274616AG	N(无内板)	270	460	160	244	434	105	435											
	305216AG									B(金属内板)	300	520	274	494	55	275	495			
	365418AG										360	540	180	334	514	125	333	513		



请按图示订货

型号		内板
代码	规格	
ZKN01	0813AG	N(无内板)
	0813AT	A(塑料内板)

ZKN01 — 0813AG — A

箱体