

挤压角座




代码	类型	材质	表面处理
ABC01-4510	挤压角座	A6063-T5	喷砂氧化
ABC02-4510			喷砂氧化(断面、打孔处无氧化)
ABC03-4510			黑色阳极氧化



- 用于型材固定角度的外连接，可固定封板。
- 根据设计需求，孔距、长度可来图加工。
- ABC02系列产品表面有轻微划伤属于正常现象。




ABC01-4510-35-35
ABC02-4510-35-35
ABC03-4510-35-35

ABC01-4510-35-80
ABC02-4510-35-80
ABC03-4510-35-80






ABC01-4510-55-35
ABC02-4510-55-35
ABC03-4510-55-35

ABC01-4510-55-80
ABC02-4510-55-80
ABC03-4510-55-80






ABC01-4510-50-35
ABC02-4510-50-35
ABC03-4510-50-35

ABC01-4510-50-80
ABC02-4510-50-80
ABC03-4510-50-80



ABC01-4510-60-35
ABC02-4510-60-35
ABC03-4510-60-35

ABC01-4510-60-80
ABC02-4510-60-80
ABC03-4510-60-80






欧标45系列型材用配件-连接部分

◀ 挤压角座




ABC01-4510-80-35
ABC02-4510-80-35
ABC03-4510-80-35

ABC01-4510-80-80
ABC02-4510-80-80
ABC03-4510-80-80






ABC01-4510-80B-35
ABC02-4510-80B-35
ABC03-4510-80B-35

ABC01-4510-80B-80
ABC02-4510-80B-80
ABC03-4510-80B-80






ABC01-4510-90-35
ABC02-4510-90-35
ABC03-4510-90-35

ABC01-4510-90-80
ABC02-4510-90-80
ABC03-4510-90-80






ABC01-4510-80A-35
ABC02-4510-80A-35
ABC03-4510-80A-35

ABC01-4510-80A-80
ABC02-4510-80A-80
ABC03-4510-80A-80



ABC01-4510-70-35
ABC02-4510-70-35
ABC03-4510-70-35

ABC01-4510-70-80
ABC02-4510-70-80
ABC03-4510-70-80






代码			重量(g/pcs)
ABC01-4510-35-35	ABC02-4510-35-35	ABC03-4510-35-35	36
ABC01-4510-35-80	ABC02-4510-35-80	ABC03-4510-35-80	82
ABC01-4510-55-35	ABC02-4510-55-35	ABC03-4510-55-35	80
ABC01-4510-55-80	ABC02-4510-55-80	ABC03-4510-55-80	182
ABC01-4510-50-35	ABC02-4510-50-35	ABC03-4510-50-35	70
ABC01-4510-50-80	ABC02-4510-50-80	ABC03-4510-50-80	161
ABC01-4510-60-35	ABC02-4510-60-35	ABC03-4510-60-35	84
ABC01-4510-60-80	ABC02-4510-60-80	ABC03-4510-60-80	193
ABC01-4510-80-35	ABC02-4510-80-35	ABC03-4510-80-35	131
ABC01-4510-80-80	ABC02-4510-80-80	ABC03-4510-80-80	300

代码			重量(g/pcs)
ABC01-4510-80B-35	ABC02-4510-80B-35	ABC03-4510-80B-35	160
ABC01-4510-80B-80	ABC02-4510-80B-80	ABC03-4510-80B-80	365
ABC01-4510-90-35	ABC02-4510-90-35	ABC03-4510-90-35	162
ABC01-4510-90-80	ABC02-4510-90-80	ABC03-4510-90-80	370
ABC01-4510-80A-35	ABC02-4510-80A-35	ABC03-4510-80A-35	102
ABC01-4510-80A-80	ABC02-4510-80A-80	ABC03-4510-80A-80	235
ABC01-4510-70-35	ABC02-4510-70-35	ABC03-4510-70-35	117
ABC01-4510-70-80	ABC02-4510-70-80	ABC03-4510-70-80	270

EX
Example
使用示例




分解图

组装图



分解图

组装图



请按图示订货

型号
ABC01-4510-35-35
ABC01-4510-80-35
ABC01-4510-80A-80

可选加工

型号	可选加工代码
ABC01-4510-35-85	S SET-OB
ABC01-4510-80-35	
ABC01-4510-80A-80	
ABC01-4510-35-35-S	

可选加工

型号	可选加工代码
ABC01-4510-35-85	S SET-OB
ABC01-4510-80-35	
ABC01-4510-80A-80	
ABC01-4510-35-35-S-SET-OB	

可选加工

增加加工项目	代码	技术说明
面板安装 螺栓孔加工	S	在角座侧面上加工 安装面板用的螺栓 孔(单面M5螺纹孔 深度15mm) 螺栓孔位置
配备合适 的螺栓, 螺母, 垫片 弹垫	SET-OB	指定SET时, 配备将角座固定在型 材上的螺栓, 螺母, 垫片。(例) 螺栓: AID31-M8-L20 T型螺母: AHC21-4010-M8 垫片: AIK31-8 弹垫: AIH21-8

① 备注: 根据不同的角座厚度配备不同规格的螺栓。

② 备注: ABC03-4510不适用SET-OB可选加工。