
向心关节轴承

← 一套圈滑动表面带保护层 正常系列(GE...C)/中系列(GEG...C)

🧿 正常系列











型号		d	D	В	С	a°≈	额定负荷(KN)		重量
代码	轴承规格	u				a ≈	动负荷	静负荷	(kg)
BNN01	GE5C	5	14	6	1	13	3.6	9.1	0.0038
	GE6C	6	14	0	4	13	3.0	9.1	0.0042
	GE8C	8	16	8	5	15	5.8	14	0.0075
	GE10C	10	19	9	6	12	8.6	21	0.011
	GE12C	12	22	10	7	10	11	28	0.015
	GE15C	15	26	12	9	8	18	45	0.027
	GE17C	17	30	14	10	10	22	56	0.041
	GE20C	20	35	16	12	9	31	78	0.066
	GE25C	25	42	20	16	7	51	127	0.119



	<u> </u>	민号	d	D			
	代码	轴承规格	a				
	@NN00	GE5C	5	14			
BINI	GIVINU	GE6C	6	14			
	BNN01 — GE5C						




● 优惠价 数量 1~9 10~ 价格 100% 另行报价 未税价(元)



🧿 中系列

轴关 承节轴承

代码		类型	外圈(挤	压成型)	内圈	
1 (1)=		英至	材质	表面处理	材质	热处理
BNN51	中系列	中系列 一套圈滑动表面带保护层		_	轴承钢	淬火







视角标准:第一视角

型号			D	В	С	a°≈ %	额定负荷(KN)		重量
代码	轴承规格	d D	动负荷				静负荷	(kg)	
	GEG5C	5	16	9	5	拉	5.8	14	0.0066
	GEG6C	6	10			χ, 21	3.0	14	0.0081
	GEG8C	8	19	11	6		8.6	21	0.014
	GEG10C	10	22	12	7	18	11	28	0.021
DNNEA	GEG12C	12	26	15	9	10	18	45	0.033
BNN51	GEG15C	15	30	16	10	16	22	56	0.049
	GEG17C	17	35	20	12	19	31	78	0.083
	GEG20C	20	42	25	16		51	127	0.153
	GEG25C	25	.047	28	18	17	65	166	0.203
	GEG30C	30	55	32	20		83	212	0.304



	1	型号	۱ ۵	D	
æ	代码	轴承规格	d	_ B	
订货	BNN5	GEG50	5	16	
		GEG6C	6	16	
	DNINE1.	CECEC			





