


# 孔用挡圈

## C型孔用反向挡圈

| 代码    | 类型       | 材质  | 硬度       | 表面处理       |
|-------|----------|-----|----------|------------|
| TAS41 | C型孔用反向挡圈 | 弹簧钢 | 44~53HRC | ACP(磷酸盐皮膜) |




挡圈尺寸



挡圈装配尺寸

此图适用规格12以下



| 规格   | r(max) |
|------|--------|
| 26以下 | 0.13   |
| 26以上 | 0.25   |



视角标准：第一视角

| 型号    |    | 挡圈尺寸           |       |                        |      |       |     |                | d <sub>5</sub> | 适用孔(参考)        |                |      |    |            |            |    |
|-------|----|----------------|-------|------------------------|------|-------|-----|----------------|----------------|----------------|----------------|------|----|------------|------------|----|
| 代码    | 规格 | d <sub>3</sub> |       | d <sub>4</sub><br>(参考) | t    |       | b   | d <sub>0</sub> |                | d <sub>1</sub> | d <sub>2</sub> |      | m  |            | n(min)     |    |
|       |    | 基本尺寸           | 公差    |                        | 基本尺寸 | 公差    |     | 基本尺寸           |                |                | 公差             | 基本尺寸 | 公差 | 基本尺寸       |            | 公差 |
| TAS41 | 10 | 11.1           |       | 7.7                    |      |       | 1.7 |                |                | 5.9            | 10             | 10.4 |    |            |            |    |
|       | 11 | 12.2           |       | 8.6                    |      |       | 1.8 |                |                | 6.6            | 11             | 11.4 |    |            |            |    |
|       | 12 | 13.3           |       | 9.7                    |      |       | 1.8 |                |                | 7.6            | 12             | 12.5 |    |            |            |    |
|       | 13 | 14.1           | ±0.18 | 10.9                   |      |       | 1.6 |                | 0.9            | 9              | 13             | 13.6 |    |            |            |    |
|       | 14 | 15.1           |       | 11.7                   |      |       | 1.7 |                |                | 9.8            | 14             | 14.6 |    | +0.11<br>0 |            |    |
|       | 15 | 16.2           |       | 12.6                   |      |       | 1.8 |                | ±0.3           | 10.6           | 15             | 15.7 |    |            |            |    |
|       | 16 | 17.3           |       | 13.5                   | 1    | ±0.05 | 1.9 |                |                | 11.4           | 16             | 16.8 |    | 1.5        | 1.15       |    |
|       | 17 | 18.3           |       | 14.3                   |      |       | 2   |                |                | 12.2           | 17             | 17.8 |    |            |            |    |
|       | 18 | 19.5           |       | 15.3                   |      |       | 2.1 |                |                | 13             | 18             | 19   |    |            |            |    |
|       | 19 | 20.5           |       | 16.1                   |      |       | 2.2 |                | 1              | 13.8           | 19             | 20   |    |            |            |    |
|       | 20 | 21.5           |       | 16.9                   |      |       | 2.3 |                |                | 14.5           | 20             | 21   |    |            |            |    |
|       | 21 | 22.5           | ±0.2  | 17.7                   |      |       |     |                |                | 15             | 21             | 22   |    |            |            |    |
|       | 22 | 23.5           |       | 18.7                   |      |       | 2.4 |                |                | 16             | 22             | 23   |    | +0.21<br>0 |            |    |
|       | 24 | 25.9           |       | 20.7                   |      |       | 2.6 |                | 1.2            | 17.5           | 24             | 25.2 |    |            |            |    |
|       | 25 | 26.9           |       | 21.5                   |      |       | 2.7 |                |                | 18.5           | 25             | 26.2 |    | 1.8        |            |    |
|       | 26 | 27.9           |       | 22.3                   |      |       | 2.8 |                |                | 19             | 26             | 27.2 |    |            |            |    |
|       | 28 | 30.1           |       | 24.1                   | 1.2  |       | 3   |                |                | 20.5           | 28             | 29.4 |    |            | 1.35       |    |
|       | 30 | 32.1           |       | 25.7                   |      | ±0.06 | 3.2 | 1.4            | ±0.4           | 22.5           | 30             | 31.4 |    | 2.1        |            |    |
|       | 32 | 34.4           |       | 27.4                   |      |       | 3.5 |                |                | 23.5           | 32             | 33.7 |    |            |            |    |
|       | 34 | 36.5           | ±0.25 | 29.1                   |      |       | 3.7 |                |                | 25             | 34             | 35.7 |    | 2.55       | +0.14<br>0 |    |
|       | 35 | 37.8           |       | 30                     |      |       | 3.9 | 1.6            |                | 26             | 35             | 37   |    |            |            |    |
|       | 37 | 39.8           |       | 31.6                   | 1.5  |       | 4.1 |                |                | 27.5           | 37             | 39   |    | 3          | 1.65       |    |
|       | 38 | 40.8           |       | 32.4                   |      |       | 4.2 |                |                | 28             | 38             | 40   |    |            |            |    |
|       | 40 | 43.5           |       | 34.7                   |      |       | 4.4 |                |                | 30             | 40             | 42.5 |    |            |            |    |
|       | 42 | 45.5           | ±0.4  | 36.3                   |      |       | 4.6 |                |                | 31             | 42             | 44.5 |    |            |            |    |
|       | 45 | 48.5           |       | 38.9                   | 1.75 |       | 4.8 | 2              |                | 33             | 45             | 47.5 |    | 3.75       | 1.9        |    |
|       | 47 | 50.5           |       | 40.7                   |      |       | 4.9 |                |                | 35             | 47             | 49.5 |    |            |            |    |
|       | 48 | 51.5           |       | 41.5                   |      | ±0.07 | 5   |                |                | 36             | 48             | 50.5 |    |            |            |    |
|       | 50 | 54.2           |       | 44                     |      |       | 5.1 |                |                | 38             | 50             | 53   |    |            |            |    |
|       | 52 | 56.2           |       | 45.8                   |      |       | 5.2 | 2.2            | ±0.5           | 40             | 52             | 55   |    |            |            |    |
|       | 55 | 59.2           | ±0.45 | 48                     | 2    |       | 5.6 |                |                | 42             | 55             | 58   |    |            | 2.2        |    |
|       | 60 | 64.2           |       | 52                     |      |       | 6.1 | 2.5            |                | 46             | 60             | 63   |    |            |            |    |
|       | 62 | 66.2           |       | 53.6                   |      |       | 6.3 | 2.8            |                | 47             | 62             | 65   |    | 4.5        |            |    |
|       | 68 | 72.5           |       | 58.5                   |      |       | 7   |                |                | 52             | 68             | 71   |    |            |            |    |
|       | 75 | 79.5           |       | 63.9                   | 2.5  | ±0.08 | 7.8 | 3.2            |                | 57             | 75             | 78   |    |            | 2.7        |    |
|       | 78 | 82.5           |       | 66.3                   |      |       | 8.1 |                | ±0.7           | 59             | 78             | 81   |    |            |            |    |
|       | 80 | 85.5           | ±0.55 | 68.9                   |      |       | 8.3 |                |                | 61             | 80             | 83.5 |    |            |            |    |
|       | 90 | 95.5           |       | 76.7                   | 3    | ±0.09 | 9.4 | 4              |                | 68             | 90             | 93.5 |    | 5.25       | +0.35<br>0 |    |



请按图示订货

| 代码      | 规格 |
|---------|----|
| (TAS41) | 10 |
| (C1)    |    |

TAS41—11



未税价(元)

| 数量 | 1~99 | 100~ |
|----|------|------|
| 价格 | 100% | 另行报价 |



| 交货期 |
|-----|
| 7   |