膨胀螺栓

类型

TBF55 内六角长眼内膨胀螺栓 0Cr18Ni9 SUS304

◎ 内六角长眼内膨胀螺栓

代码

∢ 内六角长眼内膨胀螺栓 ∢ 外六角长眼内膨胀螺栓

总目录

使用说明

螺钉

螺柱

铆接类

组合件

螺母

垫圈

挡圈

树脂类 带挡块 螺钉

柱塞

紧固件 进口专区 紧固件 专用配件 经济型

轴承 标准型 轴承 进口型

轴承 品牌轴承

带座轴承

吊环 索具

电子焊接 工具

手动工具 电动工具

气动工具

储存工具

量具

刀具

技术资料

◎ 材质:碳钢

代码

TBF56

M

8

10

12

16

60

120


100

120

150

150

8







Κ

5.3

6.5

7.5

10.5

Α

45

65

106

85

106

136

136

L

D


9.9

12

15.5

19.7











型号		1	Α	К	D	d	S	打孔
代码	M		^	K	U	u	3	尺寸
TBF55		50	40					
	6	60	50	5.85	10	7.9	5.08	8
		70	60					0
		80	70					
	8	80	65	7.82	13	9.9	6.08	10
		100	85					10
		60	45					
	10	100	85	9.73	16	11.9	8.10	12.5
		120	105					



L **TBF**55 6 TBF55 — M6 — L60








◎ 外六角长眼内膨胀螺栓

代码	类型	材	表面处理	
	大宝	国标	相当	农田处理
TBF56		碳	镀彩锌	
TBF57	外六角长眼内膨胀螺栓	0Cr18Ni9	SUS304	4-1



S

13

16

18

23.7





视角标准: 第一视角

対局: SUS304

12

120

150

打孔

大寸

10

12.5

16

20

列放: 505304							
型号		L	Α	К	D	S	打孔
代码	M	_	,,				トフ
		40	30				
	6	50	40				
		60	50				
		70	60	4	7.9	10	8
		80	70				
		90	80				
		100	90				
	塩	60	45				
AL.		70	55				
	8	80	65	5.3	9.9	13	10
TBF57		90	75				
		100	85				
		60	45				
		70	55	6.5			
	10	80	65		12	16	12.5
		100	95	6.5	12	10	12.5
		110	95				
		120	106				
		100	85				

7.5

106

136

15.5 18

16

