## 六角螺母

## ◀ 薄型/加厚型/加长型

粗牙/细牙

总目录 使用说明

螺钉

螺栓

螺柱

铆接类

组合件

垫圈

挡圈 树脂类

带挡块 螺钉

柱塞

紧固件 进口专区 紧固件 专用配件 经济型

轴承 标准型 轴承 进口型

轴承 品牌轴承

带座轴承

吊环

索具 电子焊接

工具 手动工具

电动工具

气动工具

储存工具

量具

刀具

技术资料

◎ 薄型 代码 类型 螺纹 表面处理 适用标准 国标 相当 TBK01 TBK02 TBK07 0Cr18Ni9 SUS304 粗牙 GB/T 6172.1-2000 薄型 0Cr17Ni12Mo2 SUS316 细牙 GB/T 6173-2000 0Cr18Ni9









视角标准:第一视角

■ 粗牙(SUS304)

型号		螺距P	m	S	е	
代码	M	場にピア		P-O		
	2	0.4	1.2	4	4.42	
	2.5	0.45	1.6	5	5.58	
	3	0.5	1.8	5.5	6.10	
TBK01	4	0.7	2.2	7	7.66	
	5	0.8	2.7	8	8.79	
	6	1.0	3.2	10	11.05	
IDKUI	8	1.25	4	13	14.38	
	10	1.5	5	17	18.90	
	12	1.75	6	19	21.10	
	14	2.0	7	22	24.38	
	16	2.0	8	24	26.75	
	20	2.5	10	30	33.53	

	S304)	

型号		螺距P	m	S	е	
代码	M	孫ഥ	""	3	C	
	6	0.75	3.2	10	11.05	
	8	1.0	4	13	14.38	
TBK07	10	1.0	5	16	17.77	
	12		6	18	20.03	
	16	1.5	8	24	26.75	
	20	1.5	10	30	32.95	
	22		11	34	37.29	
	24	2.0	12	36	39.55	

■ 粗牙(SUS316)

123 ()									
型号 代码 M		螺距P	m	S	е				
	3	0.5	1.8	5.5	6.01				
	4	0.7	2.2	7	7.66				
	5	0.8	2.7	8	8.79				
	6	1.0	3.2	10	11.05				
TBK02	8	1.25	4	13	14.38				
IBKUZ	10	1.5	5	16	17.77				
	12	1.75	6	18	20.03				
	14	2.0	7	21	23.36				
	16	2.0	8	24	26.75				
	20	2.5	10	30	32.95				












代码	类型	螺纹	材质		表面处理	适用标准		
1 (1)=	天空	孫以	国标	相当	农山处理	坦用你准		
TBK31			45	S45C	镀锌			
TBK32	加厚型	粗牙	0Cr18Ni9	SUS304		GB/T 6175-2016		
TBK33			0Cr17Ni12Mo2 SUS316			KP V		











型号		螺距P	m	S	е
代码	М	ARCHE!		)	_
(S45C)	6*	1.0	5.7	10	11.05
TBK31	8	1.25	7.5	13	14.38
(SUS304) TBK32	10	1.5	9.3	16	17.77
	12	1.75	12.0	18	20.03
	16	2.0	16.4	24	26.75
(SUS316)	20	2.5	20.3	30	32.95
TBK33	24	3.0	23.9	36	39.55











! 带\*规格仅适用于TBK32。

## ○ 加长型

代码	类型	螺纹	材质 相当		表面处理	强度等级	
TBK34	加长型	粗牙	0Cr18Ni9	SUS304	_	A2-70	4 1 2 7
				(e)	M	×P	300







型長	<del>1</del>				ī		V	N		.01	製版P	S	е
代码	M						_\			10	孫ഥ୮	5	
	5	10	15	20		-			P.		0.8	8	9.2
	6	10	15 18	20	25	30	35	40			1.0	10	11.5
TBK34	8	9	15	20	24	30	35	40	45	50	1.25	13	15
	10	12		20	25	30	35	40	45	50	1.5	17	19.6
	12	12	15	20	25	30	36	40	45	50	1 75	19	21 9







● 优惠价 数量 1~4 5~ 价格 100% 另行报价

