



品牌	轴承类型 代码	轴承精度	轴承材质	
			国标	相当
ZWZ	3	P0	GCr15	SUJ2



安装图



视角标准：第一视角

型号	d	D	T	B	C	r ₁ (min)	r (min)	基本额定负载(KN)		极限转速(r/min)		作用点 a	安装尺寸							重量(kg) 参考
								Cr(动)	Cor(静)	脂润滑	油润滑		d _a (max)	d _b (max)	D _a (min)	D _a (max)	D _b (min)	C _a (min)	C _b (min)	
32204-ZWZ	20	47	19.25	18	15	1	1	27.5	31	7500	10000	12	26	24	38	43	44	2	4.3	0.16
30304-ZWZ			16.25	15	13	1.5	1.5	38.2	32.5	8000	11000	11	28	28	44	45	48	3	3.3	0.17
32304-ZWZ			22.25	21	18			50	45		10000	13	26	27	43			4.5	0.24	
30205-ZWZ	25	52	16.25	15	13	1	1	34.8	33.5	7500		12	31	31	44	46	49		3.3	0.16
32205-ZWZ			19.25	18	16			40.5	46	7000	9500	13					48	50	2	0.2
33205-ZWZ			22	22	18	1.5	1.5	52.9	56	7500		14	30	29	42		50	4	0.22	
30305-ZWZ	30		18.25	17	13			48	47	9000	13000	12	35		54	55	58	3	5.3	0.25
31305-ZWZ						1.5	1.5	42.5	46	5600	7500	20	34		47	59	5	0.26		
32206-ZWZ			21.25	20	17			57.3	65	6300	8500	15	36	36	52	56	58		4.3	0.36
33206-ZWZ	35		25	25	19.5	1	1	70.5	75			16	37	34	51	58	60	2	5.5	0.34
31306-ZWZ			20.75	19	14			54	59.5	5600	7500	34		38	55	67		6.8	0.49	
32306-ZWZ			28.75	27	23	1.5	1.5	86.2	84	5300	7000	18	38	37	59	65	66	6	0.55	
32007-ZWZ	40	62	18	18	14	1	1	42	52	6000	8000	15	40	41	54	56	59	4	4	0.38
30207-ZWZ			18.25	17	15	1.5	1.5	57.3	56			16	44		62	67	73	3	3.3	0.32
32207-ZWZ			24.25	23	19			75	80	5300	7000	17	42	42		61	65	68	2	5.3
31307-ZWZ	45		22.75	21	15	2	2	70	76	4500	6000	25	45		62	76	73	3	7.5	0.52
32307-ZWZ			32.75	31	25			94.5	94	4800	6300	20	43	44	66	71	74	85	5	0.76
33108-ZWZ		50	75	26	26	20.5	1.5	1.5	90	104	5000	6700	18	65		65	68	71	4	5.5
30208-ZWZ			19.75	18	16	70			73	4800	6300	17	49	47	69	73	75	3	3.8	0.43
32208-ZWZ			24.75	19	19	83.5	93			18			68	76	76		5.8	0.56		
31308-ZWZ	55		25.25	23	17	2	2	71.5	77			29	48		71	87		9.5	0.73	
32308-ZWZ			35.25	33	27			117	140	4000	5300	22	49	49	73	83	83	4	8.5	1.08
32009-ZWZ		60		20	20	15.5	1	1	66.4	80			17	52		65	71	73	6	0.34
33009-ZWZ			24	24	19	75.4			104	4800	6300	16	50	48	66	72	72	3	5	0.41
30209-ZWZ	65			20.75	19	16	1.5	1.5	80.3	83			18			74	80		5	0.46
32209-ZWZ			24.75	23	19	90.3			105	4500	6000	20	53	52	73	78	81		5.8	0.58
31309-ZWZ		70		27.25	25	18	2	2	105	102	3600	4800	32	54		79	96		9.5	0.98
30309-ZWZ			22	22		123			120	4000	5300	21	59		86	91	94		8.5	0.99
32309-ZWZ			38.25	36	30			153	174	3600	4800	25	56	54	82		93	4	1.44	
32010-ZWZ	75		20	20	15.5	1	1	67.8	88			18	57		76	78		4.5	0.38	
33010-ZWZ			24	24	19			77	111	4500	6000	17	55	58	70	77	76		0.44	
30210-ZWZ		80		21.75	20	17	1.5	1.5	84.9	91.5			20	58	57	79	86		5	0.55
32210-ZWZ			24.75	23	19	94			100	4300	5600	21	58		78	83	85	3	5.5	0.64
33210-ZWZ			32	32	24.5	2.5	2.5	119	160	3800	5000	23	57	58	75	88		7.5	1.17	
31310-ZWZ	85		29.25	27	19			110	124	3200	4300	35	63	10	86	102	104	10	1.25	
30310-ZWZ			42.25	40	33	2	2	141	140	3600	4800	23	65		95	103	4	6		
32310-ZWZ								173	214			27	61	60	90	100	102	5	9.5	1.26
32011-ZWZ	90		23	23	17.5	1.5	1.5	92.4	116			20	64	63	79	83	88	4.5	5.5	0.56
33011-ZWZ			27	27	21			108	147	4000	5300	19	62	65	78		87		0.84	
30211-ZWZ		100		22.75	21	18	1.5	1.5	102.8	106			21	64		88	91		5	0.71
32211-ZWZ			26.75	25	21	108			133	3800	5000	22	62	64	87		95	4	5.7	0.88
33211-ZWZ			35	35	27	2	2	136	190	3400	4500	25	63		85	93	96	6	8	1.17
31311-ZWZ	110		31.5	29	25			155	166	2800	3800	38	68		92	112	112	3	11	1.78
30311-ZWZ			45.5	43	35	2.5	2.5	165	163	3200	4300	25	70	65	104	110	112	4	6.5	1.65
32311-ZWZ								248	280	3000	4000	29	66		99			111	5	11
32912-ZWZ	120		40	40	35	1	1	40	65	3900	5100	17	65	68	76	81	79	4	3	0.28
33012-ZWZ			27	27	21			104	143	3800	5000	20	67	67	85	88	90	6	0.69	
32012-ZWZ		130		37	37	23	1.5	1.5	93.5	122			21	68	68	83		92	5	5.5
30212-ZWZ			23.75	22	19	2	2	111	114			23		69	96	101	103	4	5	0.92
32212-ZWZ			29.75	28	24			133	170	3400	4500	25		69	95	104	104		5.8	1.26
33212-ZWZ	140		38	38	29	3	3	168	235	3000	4000	27			93	103	105	6	9	1.51
31312-ZWZ			33.5	31	22			138	155	2600	3600	41			103	124	124	5	12	1.92
30312-ZWZ			48.5	46	37	3	3	163	185	3000	4000	26	76	72	112	118	121	3.5	7.5	1.96
32312-ZWZ					229			289	2600	3600	31	72		107		122	6	12	2.9	

型号	d	D	T	B	C	r ₁ (min)	r (min)	基本额定负载(KN)		极限转速(r/min)		作用点 a	安装尺寸								重量(kg) 参考	
								Cr(动)	Cor(静)	脂润滑	油润滑		d _a (max)	d _b (max)	D _a (min)	D _a (max)	D _b (min)	C _a (min)	C _b (min)			
32013-ZWZ	65	100	23	23	17.5	1.5		94.8	127	3400	4500	22	72	72	90	93	97	4	5.5	0.61		
33013-ZWZ			27	27	21			108	158			21		73	87		3.5	6	0.73			
30213-ZWZ			24.75	23	20			131	134			24		77	106		111	114	4	5	1.14	
32213-ZWZ		120	32.75	31	27	2		151	192	3000	4000	28	74	104	115	115	4	5.8	1.58			
33213-ZWZ			41	41	32			222	282			29		75		102	113	6	9	2		
31313-ZWZ			36	33	23			171	198			44		77		111	128	134	5	13	2.46	
30313-ZWZ	140				3	2.5	192	228	2600	3600	28	83	72	120	131	131	3.5	8	2.49			
32313-ZWZ		51	48	39			264	335			2400	3400	33	79	77		117	121	6	12	3.68	
32914-ZWZ		20	20	16			1	1			70.5	114	18	76	76		90	96	96	5	4	0.48
32014-ZWZ	70	110	25	25	19	1.5	1.5	115	152	3000	4000	26	93	78	112	103	125	6	0.97			
33014-ZWZ			31	31	25.5			128	196			22	77	75	97	105	107	3	5.5	1.09		
30614-ZWZ			45	42	37			2.5	2.5			138	198	32	79	80	99	111	115	3.5	8	1.89
32014-ZWZ		125	26.25	24	21	2	1.5	124	156	2800	3800	26	81	69	110	116	118	4	5.3	1.29		
32214-ZWZ			33.25	31	27			170	227			29	79	79	106	118	120	4	6.3	1.66		
31314-ZWZ								214	220			2400	3400	47	78	118	140	5	13	2.87		
30314-ZWZ	150				3	2.5	223	262	2200	3200	30	89	82	130	138	141	5	8	3.08			
32314-ZWZ		54	51	42			305	390			2200	3200	36	125	141	12	4.38					
32015-ZWZ		25	25	19			120	163			3000	4000	25	84	83	100	108	112	6	6	0.92	
33015-ZWZ	75	115	31	31	25.5	1.5		130	213	3000	4000	23	82	104	110	110	5.5	1.1				
30215-ZWZ			27.25	25	22			139	175			2800		3800	28	85	115	121	125	4.5	5.3	1.4
32215-ZWZ			33.25	31	27			185	253			2600		3600	29	84	114	122	4	6	1.72	
33215-ZWZ		130	41	41	31	2		208	300	2600	3600	32	87	109	123	126	4.5	10	2.27			
31315-ZWZ								239	245			2200	3200	50	86	127	148	153	6	14	3.4	
30315-ZWZ			40	37	26			259	285			2200	3200	32	95	87	139	150	4.5	9	3.71	
32315-ZWZ	160				3	2.5	345	455	2000	3000	38	94	131	151	150	4.5	13	5.35				
32016-ZWZ		29	29	22			139	219			2600	3600	27	88	109	118	121	6	7	1.26		
33016-ZWZ		36	36	29.5			172	281			2600	3600	26	90	87	112	117	119	6	6.5	1.62	
30216-ZWZ	80	140	28.25	26	22	2.5	2	149	183	2400	3400	29	90	124	130	133	4.5	6.3	1.56			
32216-ZWZ			35.25	33	28			198	263			32		89	90	122	130	135	5	7.3	2.19	
33216-ZWZ			46	46	35			264	390			2200		3200	35	90	117	132	136	4.5	11	2.89
31316-ZWZ		170				3	2.5	223	260	2000	3000	53	92	91	128	156	156	6	16	3.65		
30316-ZWZ			42.5	39	33			273	320			34	102	92	146	158	160	5	9.5	4.32		
32316-ZWZ			61.5	58	48			390	510			1900	2800	41	97	92	142	158	160	4.5	14	6.43
32917-ZWZ	85	120	23	23	18	1.5	1.5	100	172	2700	3300	21	92	90		115	117	2	5	0.78		
32017-ZWZ			29	29	22			138	220			2400	3400	28	93	123	126	7	7	1.33		
33017-ZWZ			36	36	29.5			195	330			2600	3600	26	94	92	122	125	6	6.5	1.7	
30217-ZWZ		150	30.5	28	24	2.5	2	175	220	2400	3400	31	96			140	142	5	8.5	2.05		
32217-ZWZ			38.5	36	30			230	315			2200	3200	34	95	95	143	143		8.5	2.7	
33217-ZWZ			49	49	37			286	236			2000	3000	37	96	142	145	4.5	12	3.64		
31317-ZWZ	180				4	3	254	300	2000	3000	56	96			171		6	17	4.92			
30317-ZWZ		44.5	41	34			301	365			1900		2800	35	107	166	168		11	5.39		
32317-ZWZ		63.5	60	49			425	560			1800		2600	42	102	99	168		4.5	15	7.37	
32018-ZWZ	90	140	32	32	24	2	1.5	165	255	2200	3200	30	100			133	135	7	8	1.77		
33018-ZWZ			39	39	32.5			226	370			22		27	132	135		6.5	2.24			
30218-ZWZ			32.5	30	26			222	291			33		102	100	150	151	5		2.73		
32218-ZWZ		160	42.5	40	34	2.5	2	274	280	2000	3000	37	101			152		8.5	3.61			
33218-ZWZ			55	55	42			330	495			2000	3000	33	95	99	160	126	7	13	4.77	
30618-ZWZ			62	59.5	49			360	520					42	107	100	161	161	4.5	13	6.04	
31318-ZWZ	190				4	3	283	340	1800	2600	59	102		151		181	6	17	5.53			
30318-ZWZ		46.5	43	36			335	410			37	113		165	176	178		8	15	8.97		
32318-ZWZ		67.5	64	53			485	650			1700	2400	45	107	104	157						
32019-ZWZ	95	145	32	32	24	2	1.5	182	292	2200	3200	31	105	130	138	139	6	8	1.87			
33019-ZWZ			39	39	32.5			220	368			29		128	140	4.5	6.5	2.32				
30219-ZWZ			34.5	32	27			233	300			35		108	149	160	5	7.5	3.27			
32219-ZWZ		170	45.5	43	37	3	2.5	298	415	1900	2800	40	106	107	145	158	163		8.5	4.34		
33219-ZWZ			58	58	44			405	560			43	109		141	161	164	7	14	5.54		
31319-ZWZ								305	370			62	107		157	189	6	18	6.84			
30319-ZWZ	200				4	3	365	445	1800	2600	39	118	109	172	186	185		12	6.91			
32319-ZWZ		71.5	67	55			520	705			1700	2400	47	114		166	187	8	17	10		
32920-ZWZ		25	25	20			116	204			2400	3100	25	108	105	127	134	137	3	5	1.13	
32020-ZWZ	100	150	32	32	24	2	1.5	190	281	1600	2200	33	110	109	131	143	145	4.5	8	1.87		
30220-ZWZ			37	34	29			262	340			1900	2800	37	114		157	169	5		3.56	
32220-ZWZ			49	46	39			345	490			1800	2600	42	113	112	154	168	172		10	5.31
33220-ZWZ					430	655			43	112		151		10	15	6.58						
30320-ZWZ		215				4	3	405	495	1700	2400	41	127	114	184		199	6	13	8.09		
31320-ZWZ			56.5	51	35			430	465					65	121	115	168	201	202	7	21.5	8.78
32320-ZWZ	77.5		73	60	570			780	51			123		177		200	8	17.5	13.1			
32021-ZWZ	105	160	35	35	26	2.5	2	199	320	1900	2800	34	116	116	143	150	154	6		2.38		
33021-ZWZ			43	43	34			266	405			31	117	115	141	152		9	2.98			
30221-ZWZ			39	36	30			292	365			39	125		162	181	177	4.5		4.47		
32221-ZWZ		190	53	50	43	3	2.5	375	605	1800	2600	44	120	117	161	178	180	6	10	6.26		
33221-ZWZ			68	68	52			475	730			49	129		165	194	188	4.5	18	8.02		
30321-ZWZ			53.5	49	41			430	530			43	133	119	193	211	208					

型号	d	D	T	B	C	r ₁ (min)	r (min)	基本额定负载(KN)		极限转速(r/min)		作用点 a	安装尺寸								重量(kg) 参考		
								Cr(动)	Cor(静)	脂润滑	油润滑		d _a (max)	d _b (max)	D _a (min)	D _a (max)	D _b (min)	C _a (min)	C _b (min)				
30322-ZWZ	110	240	54.5	50	42	4	3	470	580	1600	2200	45	142	124	206	222	8	13	11.1				
31322-ZWZ			63	57	38			595	75	129	188	226	226	7	25	12.5							
32322-ZWZ			84.5	80	65			670	1030	1400	1900	55	137	125	198	222	9	19.5	17.9				
32924-ZWZ		165	29	29	23	1.5	1.5	189	320	1600	2200	29	131	118	150	158	161	4.5	6	1.79			
32024-ZWZ		180	38	38	29	2.5	2	237	395	1700	2400	40	132	120	157	172	175		9	3.31			
30224-ZWZ	120	215	43.5	40	34	3	2.5	335	465	1600	2200	45	139		187	203	6	9.5	6.32				
32224-ZWZ			61.5	58	50			480	720			52	134	132	181	203	206		12	9.6			
30324-ZWZ			59.5	55	46			560	710	1500	2000	47	153		221	237	7	13.5	14.2				
31324-ZWZ		260	68	62	42	4	3	531	690	1200	1700	78	145	135	203	245	244	9	26	15.6			
32324-ZWZ			90.5	86	69			860	1330	1300	1800	60	148		213	239		21.5	22.4				
32026-ZWZ	130	200	45	45	34	2.5	2	340	580	1600	2200	42	144	142	178	190	192	7	11	5.06			
33026-ZWZ			55	55	43			385	690					138	175	193	194	9	12	6.04			
30226-ZWZ			43.75	40	34			360	480	1500	2000			47	150		203	216	219	10	7.02		
32226-ZWZ		230	67.75	64	54	4	3	555	845			56	143	144	193	221	7	14	11.8				
30326-ZWZ	130	280	63.75	58	49	5	4	625	800	1300	1800	51	164	150	239	263	255	8	14.5	17.4			
31326-ZWZ			72	66	44			620	805			87		147	218	262	263	9	28	18.9			
32928-ZWZ			190	32	32			25	2	1.5	206	390			33	150	177	182	184	6	7	2.55	
32028-ZWZ		210	45	45	34	2.5	2	330	560	1600	2200	46	154		150	183	202	204	4.5	11	5.84		
30228-ZWZ	140	250	45.75	42	36	4	3	405	540	1400	1900	50	162		219	236	234	9		8.8			
32228-ZWZ			71.75	68	58			650	1000			61	156	154	210		240	8	14	14.7			
30328-ZWZ			67.75	62	53			740	945	1200	1700	56	176	155	255	282	275		15	21.2			
31328-ZWZ		300	77	70	47	5	4	695	900			93	162	157		283		30	23.4				
32930-ZWZ	210	38	38	30	2.5			2	270	465	1500	2000	36		190	202	202	9	7.5	3.83			
32030-ZWZ	225	48	48	36	3			2.5	365	635	950	1400	49	161	160	197	216	217		13	6.4		
30230-ZWZ	150	270	49	45	38	4	3	450	605	1300	1800	53	174		164	234	252		11	11.2			
32230-ZWZ			77	73	60			735	1140	1200	1700	64	168		223	256	256			18.4			
30330-ZWZ			320	72	65			55	5	4	815	1050			60	190	165	273	302	294	4.5	17	25.5
32032-ZWZ	160	240	51	51	38	3	2.5	415	730	1100	1600	53	174	173	211	231	232	8	13	7.69			
30232-ZWZ			52	48	40		510	695	57			189		252	271	9	12	13.4					
32232-ZWZ			84	80	67	4	3	925	1490			70	180	174	242	276	276	10	17	23.3			
32934-ZWZ		230	38	38	30	2.5	2	280	560	1400	1900	42	183	182	213	220	222	7	8	4.51			
32034-ZWZ	170	260	57	57	43	3	2.5	520	870	1200	1700	56	188	184	230	246	249		14	10.6			
32234-ZWZ			310	91	86	71	5	4	1010	1630	1000	1500	75	196	190	259	293	294	10	20	30		
30334-ZWZ			360	80	72	62			945	1360	950	1400	68	217	185	304	348	333		18	35.8		
32936-ZWZ	180	250	45	45	34	2.5	2	345	725	1600	2500	53	194		192	225	240	241	8	11	6.7		
32036-ZWZ			280	64	64	48	3	2.5	610	1070	950	1400	75	199		247	268	267	9	16	13.9		
30236-ZWZ			320	57	52	43	5	4	590	820	1000	1500	64	209	198	278	302	300	4.5	14	17.8		
32236-ZWZ	91	86	71	940	1700	950			1400	78	204	200	267	303	303		20	30.2					
32938-ZWZ	190	260	45	45	34	2.5	2	350	670	1100	1600	55	205	202	235	252	251	10	9.5	6.94			
32038-ZWZ			290	64	64	48		650	1180			62	210	204	257	276	279		16	14.5			
32940-ZWZ			280	51	51	39	3	2.5	455	935	1000	1500	54	218	215	252	271	270	4.5	11	9.56		
32040-ZWZ	200	310	70	70	53	5	4	760	1370	950	1400	66	222	214	273	296	297		17	19.5			
32240-ZWZ			360	104	98			82	5	4	1350	2144		900	1300	84	218	302	342	342		22	42.6
32944-ZWZ			300	51	51			39	3	2.5	465	960		950	1400	58	234		275	286	290	9	12
32044-ZWZ	220	340	76	76	57	4	3	850	1520			72	244		300	325	326	12	19	23.9			
32244-ZWZ			400	114	108	90	5	4	1650	2770	900	1300	96	256	220	334	382	382	10	24	62.7		



请按图示订货

型号

32044-ZWZ
32244-ZWZ

未税价(元)

● 优惠价

数量 1~9
价格 100% 另行报价

交货期

7