
滚

# 盒式滚轮条/滚轮条用接头





	型号		P	Δ	В	С	П	D <sub>1</sub>	F	Н	耐负载
	代码	L	r	A	В			01	4 4	,,,,	(单个滚轮)
	QJK01	1000	15	20	30 14	3	13	-	22	24	
		2000		30					22		X.
_	QJK04	1000									5kgf
		2000	45	41	25	4	28	38	35	42.5	
		3000							-		1

C

4

D

28

D<sub>1</sub>

Е

35

Н

42.5



◯迷你型					
型	P				
代码	代码 L				
QJKO	1000	15			
QJKU	2000	15			
QJK01-L2000					

#### ◯ 标准型

型	Р		
代码	代码 L		
QJK02	1000	30	
QJKUZ	2000	45	
QJK02-L2000-P45			

### ○树脂轮型

NUMBER OF THE PROPERTY OF THE					
型	Р				
代码	轮数量				
ØJK05	5~110	15			
QJK05-50					

## ◯ 树脂轮型

QJK02

◎ 标准型

型号		В	_	В	D	_	ш	耐负载
代码	轮数量	Р	_ A	B	D	-	П	(单个滚轮)
QJK05	5~110	15	40	20	13	32	33.5	7kgf

В

25



耐负载

(单个滚轮)

5kgf

● 优惠	● 优惠价					
数量	1~9	10~				
价格	100%	另行报价				



## ◎ 滚轮条用接头

代码	类型		材质	表面处理
QJK06		平接头		
QJK07	滚轮条用接头	斜坡接头	Q235	镀彩锌
QJK08		中间接头		

①此三款滚轮条用接头适用于滚轮条QJK02与QJK04。

Р


30


45


1000

2000

Α







型号 代码	参考重量(kg/pcs)
QJK06	0.145
QJK07	0.285
QJK08	0.172







