


角连接件

代码	类型	材质	表面处理
AYH11	角连接件	ADC12	光饰


- ① 用于型材30°、45°、60°的连接。
- ② 产品含盖板、内六角沉头螺钉。




AYH11-120-30




盖板(配套使用)




AYH11-120-45




盖板(配套使用)





AYH11-120-60




盖板(配套使用)





AYH11-160-30




盖板(配套使用)





AYH11-160-45




盖板(配套使用)



AYH11-160-60



盖板(配套使用)



视角标准：第一视角

代码	重量(g/pcs)
AYH11-120-30	395
AYH11-120-45	457
AYH11-120-60	800
AYH11-160-30	537
AYH11-160-45	632
AYH11-160-60	1046



可选加工

型号 AYH11-160-45-SET-A AYH11-160-45-SET-B
AYH11-160-45-SET-C

增加加工项目	代码	*使用方式	技术说明
配备合适的螺钉、螺母和螺纹套	SET-A	A	螺钉：TAH15-M8-L20 螺纹套：AIP31-M8-N12-L20
	SET-B	B	螺钉：TAH15-M8-L16 TAH15-M8-L20 螺纹套：AIP31-M8-N12-L20 T型螺母：AHC21-4010-M8
	SET-C	C	螺钉：TAH15-M8-L20 螺纹套：AIP31-M8-N12-L20



请按图示订货

型号

AYH11-120-30
AYH11-120-45
AYH11-120-60


报价方式




*使用方式详见下页图示。

EX


Example
使用示例



使用方式A



使用方式B



使用方式C

