



 材质: ABS 型号 最大静载荷 参考重量 代码 规格 (kgf) (kg/pcs) HFQ34 0.015 5 HFQ35 0.017



无锁芯








(kg/pcs)


◯ 螺钉安装型

! 此图为有锁芯示意图。

ı					P	
l	代码	类型		材质	表面处理	
ı	HFQ40			ZDC	喷塑(黑淡光)	
ı	HFQ36		有锁芯		镀亮铬	
ı	HFQ37	螺钉安装型		SUS304	镀沙铬	
ı	HFQ38		无锁芯	505304	镀亮铬	
ı	HFQ39		九钡心		镀沙铬	








视角标准: 第一视角





\Box	
视角标准:	第一视角

O 材质: SUS304

搭扣

型号				W ₁	W ₂	ш	最大静载荷	参考重量(kg/pcs)	
代码	规格	_	1	W = AAI	VV2	П	(kgf)	有锁芯	无锁芯
HFQ36 HFQ38	65	65	30	26.5	12	17.5		0.07	0.06
HFQ37 HFQ39	80	80	35.5	32.5	16	21.5	0	0.13	0.12

耐材质・7DC

₩ 10 00 00 00 00 00 00 00 00 00 00 00 00						
型-	号	拉伸承重	参考重量			
代码	规格	(kgf)	(kg/pcs)			
HFQ40	92	76.5	0.167			









ф--ф--





请按图示订货